

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(370/389.ccls. 370/392.ccls. 370/401.ccls.) and @ad<="20030827" and ((fax facsimile) and (voice) and (gateway\$1 router\$1) and compar\$5 and (RTP UDPTL UDP)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 16:25
L2	4	(370/389.ccls. 370/392.ccls. 370/401.ccls.) and @ad<="20030827" and ((voice) and (gateway\$1 router\$1) and compar\$5 and (RTP UDPTL UDP)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 16:26
L3	9	@ad<="20030827" and ((voice) and (gateway\$1 router\$1) and compar\$5 and (RTP UDPTL UDP)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 16:27
L4	1	@ad<="20030827" and ((fax facsimile) and (voice) and (gateway\$1 router\$1) and compar\$5 and (RTP UDPTL UDP)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 16:27
L5	60	@ad<="20030827" and ((gateway\$1 router\$1) and compar\$5 and (RTP UDPTL UDP)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 16:27
S1	13	chen near2 zhihui.inv. beadle near2 michael.inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 15:32
S2	378	(MINDSPEED adj TECHNOLOGIES).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 15:34
S3	9	S1 and S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 15:35

S4	8	S1 and S2 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 15:36
S5	58389	(FACSIMILE FAX FAX\$3) AND (NETWORK) AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 16:07
S6	6544	(VOIP) AND (NETWORK) AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 16:07
S7	1590	S5 and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 16:08
S8	607	S5 and S6 and voip same (fax fax\$4 facsimile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 16:09
S9	87	S5 and S6 and voip same (fax fax\$4 facsimile) same (gateways routers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 16:09
S10	189	S5 and S6 and voip same (fax fax\$4 facsimile) same (gateway gateways router routers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 16:10
S11	8	S5 and S6 and voip same (FOIP) same (gateways routers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/07 16:34
S12	25	UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 14:11

S13	10	UDPTL same (calcula\$5 determi\$5) same (size length header) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 14:24
S14	10	UDPTL same (calcula\$5 determi\$5) same (size length) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 14:24
S15	1	UDP same (body payload) same (calcula\$5 determi\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 14:28
S16	1	UDP same (body payload) same (calcula\$5 determi\$5) same (size length) and "T.38" and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/09 14:29
S20	1	UDP same (calcula\$5 determi\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/12 08:21
S21	11	UDP and (calcula\$5 determi\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/12 08:22
S22	11	UDP and (calcula\$5 determi\$5 analy\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/12 08:26
S23	1	(calculat\$5 determin\$5) same (packet packets frame frames) same ("0" zero) same ("2" two) same (UDPTL) same (header field) same error with recove\$5 AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 08:13

S24	55	(calculat\$5 determin\$5) same (packet packets frame frames) same (length) same error with recove\$5 AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 09:05
S25	1	(calculat\$5 determin\$5) same UDPTL same (packet packets frame frames) same (length) AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 09:38
S26	116	determin\$4 same type\$1 same packet same size\$4 with header and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 12:17
S27	44	determin\$4 with type\$1 with packet\$1 same size\$4 with header and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 12:18
S28	16	determin\$4 with type\$1 with packet\$1 with size\$4 with header and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 12:18
S29	0	determin\$4 with type\$1 with packet\$1 with size\$4 with ecapsulat\$4 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 12:35
S30	0	determin\$4 with packet\$1 with size\$4 with ecapsulat\$4 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 12:35
S31	45	determin\$4 with packet\$1 with size\$4 with payload and UDP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 12:36
S32	5	determin\$4 with packet\$1 with size\$4 and payload with contain\$3 with UDP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 12:36

S33	5420	Payload with (contain\$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 12:40
S34	1302	UDP and Payload with (contain\$2 compris\$3 includ \$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 12:40
S35	818	((size length) with header) same Payload with (contain \$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 12:41
S36	28	((size length) with header) same Payload with (contain \$2 compris\$3 includ\$3) with packet same (second with (size length)) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 12:41
S37	6	determin\$4 with ((size length) with header) same Payload with (contain\$2 compris\$3 includ\$3) with packet same (second with (size length)) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 12:47
S38	43	determin\$4 with ((size length) with header) same Payload with (contain\$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 12:50
S39	0	(classify classification) with ((size length) with header) same Payload with (contain \$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 12:55
S40	25	Packets same (compar\$4 with length\$4) with header and encapsulat\$4 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 13:08

S41	1848	UDP with RTP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 13:53
S42	6	UDP with RTP and VoIP and FoIP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 13:53
S43	4727	radio with optical with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 16:10
S44	37	radio with optical with network and "at&t".as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 16:11
S45	14	chen near2 zhihui.inv. beadle near2 michael.inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S46	388	(MINDSPEED adj TECHNOLOGIES).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S47	10	S45 and S46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S48	9	S45 and S46 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S49	58977	(FACSIMILE FAX FAX\$3) AND (NETWORK) AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49

S50	6702	(VOIP) AND (NETWORK) AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S51	1637	S49 and S50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S52	625	S49 and S50 and voip same (fax fax\$4 facsimile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S53	90	S49 and S50 and voip same (fax fax\$4 facsimile) same (gateways routers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S54	195	S49 and S50 and voip same (fax fax\$4 facsimile) same (gateway gateways router routers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S55	8	S49 and S50 and voip same (FOIP) same (gateways routers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S56	25	UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S57	10	UDPTL same (calcula\$5 determi\$5) same (size length header) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S58	10	UDPTL same (calcula\$5 determi\$5) same (size length) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49

S59	1	UDP same (body payload) same (calcula\$5 determi\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S60	1	UDP same (body payload) same (calcula\$5 determi\$5) same (size length) and "T.38" and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S61	1	UDP same (calcula\$5 determi\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S62	11	UDP and (calcula\$5 determi\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S63	11	UDP and (calcula\$5 determi\$5) analy\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S64	1	(calculat\$5 determin\$5) same (packet packets frame frames) same ("0" zero) same ("2" two) same (UDPTL) same (header field) same error with recove\$5 AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S65	55	(calculat\$5 determin\$5) same (packet packets frame frames) same (length) same error with recove\$5 AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S66	1	(calculat\$5 determin\$5) same UDPTL same (packet packets frame frames) same (length) AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49

S67	116	determin\$4 same type\$1 same packet same size\$4 with header and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S68	44	determin\$4 with type\$1 with packet\$1 same size\$4 with header and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S69	16	determin\$4 with type\$1 with packet\$1 with size\$4 with header and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S70	0	determin\$4 with type\$1 with packet\$1 with size\$4 with ecapsulat\$4 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S71	0	determin\$4 with packet\$1 with size\$4 with ecapsulat\$4 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S72	45	determin\$4 with packet\$1 with size\$4 with payload and UDP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S73	5	determin\$4 with packet\$1 with size\$4 and payload with contain\$3 with UDP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S74	5424	Payload with (contain\$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S75	1304	UDP and Payload with (contain\$2 compris\$3 includ \$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49

S76	819	((size length) with header) same Payload with (contain \$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S77	28	((size length) with header) same Payload with (contain \$2 compris\$3 includ\$3) with packet same (second with (size length)) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S78	6	determin\$4 with ((size length) with header) same Payload with (contain\$2 compris\$3 includ\$3) with packet same (second with (size length)) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S79	43	determin\$4 with ((size length) with header) same Payload with (contain\$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S80	0	(classify classification) with ((size length) with header) same Payload with (contain \$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S81	25	Packets same (compar\$4 with length\$4) with header and encapsulat\$4 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S82	1852	UDP with RTP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S83	6	UDP with RTP and VoIP and FoIP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49

S84	4727	radio with optical with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S85	37	radio with optical with network and "at&t".as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 09:49
S86	8	"823102".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 08:57
S87	8	"823102".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S88	14	chen near2 zhihui.inv. beadle near2 michael.inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S89	404	(MINDSPEED adj TECHNOLOGIES).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S90	10	S88 and S89	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S91	9	S88 and S89 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S92	59413	(FACSIMILE FAX FAX\$3) AND (NETWORK) AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03

S93	6811	(VOIP) AND (NETWORK) AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S94	1665	S92 and S93	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S95	634	S92 and S93 and voip same (fax fax\$4 facsimile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S96	91	S92 and S93 and voip same (fax fax\$4 facsimile) same (gateways routers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S97	198	S92 and S93 and voip same (fax fax\$4 facsimile) same (gateway gateways router routers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S98	8	S92 and S93 and voip same (FOIP) same (gateways routers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S99	25	UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S100	10	UDPTL same (calcula\$5 determi\$5) same (size length header) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S101	10	UDPTL same (calcula\$5 determi\$5) same (size length) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03

S102	1	UDP same (body payload) same (calcula\$5 determi\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S103	1	UDP same (body payload) same (calcula\$5 determi\$5) same (size length) and "T.38" and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S104	1	UDP same (calcula\$5 determi\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S105	11	UDP and (calcula\$5 determi\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S106	11	UDP and (calcula\$5 determi\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S107	1	(calculat\$5 determin\$5) same (packet packets frame frames) same ("0" zero) same ("2" two) same (UDPTL) same (header field) same error with recove\$5 AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S108	55	(calculat\$5 determin\$5) same (packet packets frame frames) same (length) same error with recove\$5 AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S109	1	(calculat\$5 determin\$5) same UDPTL same (packet packets frame frames) same (length) AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03

S110	119	determin\$4 same type\$1 same packet same size\$4 with header and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S111	46	determin\$4 with type\$1 with packet\$1 same size\$4 with header and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S112	18	determin\$4 with type\$1 with packet\$1 with size\$4 with header and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S113	0	determin\$4 with type\$1 with packet\$1 with size\$4 with encapsulat\$4 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S114	0	determin\$4 with packet\$1 with size\$4 with encapsulat\$4 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S115	45	determin\$4 with packet\$1 with size\$4 with payload and UDP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S116	5	determin\$4 with packet\$1 with size\$4 and payload with contain\$3 with UDP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S117	5492	Payload with (contain\$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S118	1326	UDP and Payload with (contain\$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03

S119	825	((size length) with header) same Payload with (contain \$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S120	29	((size length) with header) same Payload with (contain \$2 compris\$3 includ\$3) with packet same (second with (size length)) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S121	6	determin\$4 with ((size length) with header) same Payload with (contain\$2 compris\$3 includ\$3) with packet same (second with (size length)) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S122	43	determin\$4 with ((size length) with header) same Payload with (contain\$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S123	0	(classify classification) with ((size length) with header) same Payload with (contain \$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S124	25	Packets same (compar\$4 with length\$4) with header and encapsulat\$4 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S125	1883	UDP with RTP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S126	6	UDP with RTP and VoIP and FoIP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03

S127	5009	radio with optical with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S128	40	radio with optical with network and "at&t".as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S129	14	chen near2 zhihui.inv. beadle near2 michael.inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S130	404	(MINDSPEED adj TECHNOLOGIES).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S131	10	S129 and S130	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S132	9	S129 and S130 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S133	59413	(FACSIMILE FAX FAX\$3) AND (NETWORK) AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S134	6811	(VOIP) AND (NETWORK) AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S135	1665	S133 and S134	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03

S136	634	S133 and S134 and voip same (fax fax\$4 facsimile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S137	91	S133 and S134 and voip same (fax fax\$4 facsimile) same (gateways routers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S138	198	S133 and S134 and voip same (fax fax\$4 facsimile) same (gateway gateways router routers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S139	8	S133 and S134 and voip same (FOIP) same (gateways routers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S140	25	UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S141	10	UDPTL same (calcula\$5 determi\$5) same (size length header) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S142	10	UDPTL same (calcula\$5 determi\$5) same (size length) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S143	1	UDP same (body payload) same (calcula\$5 determi\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S144	1	UDP same (body payload) same (calcula\$5 determi\$5) same (size length) and "T.38" and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03

S145	1	UDP same (calcula\$5 determi\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S146	11	UDP and (calcula\$5 determi\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S147	11	UDP and (calcula\$5 determi\$5 analy\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S148	1	(calculat\$5 determin\$5) same (packet packets frame frames) same ("0" zero) same ("2" two) same (UDPTL) same (header field) same error with recove\$5 AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S149	55	(calculat\$5 determin\$5) same (packet packets frame frames) same (length) same error with recove\$5 AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S150	1	(calculat\$5 determin\$5) same UDPTL same (packet packets frame frames) same (length) AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S151	119	determin\$4 same type\$1 same packet same size\$4 with header and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S152	46	determin\$4 with type\$1 with packet\$1 same size\$4 with header and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03

S153	18	determin\$4 with type\$1 with packet\$1 with size\$4 with header and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S154	0	determin\$4 with type\$1 with packet\$1 with size\$4 with encapsulat\$4 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S155	0	determin\$4 with packet\$1 with size\$4 with encapsulat\$4 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S156	45	determin\$4 with packet\$1 with size\$4 with payload and UDP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S157	5	determin\$4 with packet\$1 with size\$4 and payload with contain\$3 with UDP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S158	5492	Payload with (contain\$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S159	1326	UDP and Payload with (contain\$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S160	825	((size length) with header) same Payload with (contain\$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S161	29	((size length) with header) same Payload with (contain\$2 compris\$3 includ\$3) with packet same (second with (size length)) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03

S162	6	determin\$4 with ((size length) with header) same Payload with (contain\$2 compris\$3 includ\$3) with packet same (second with (size length)) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S163	43	determin\$4 with ((size length) with header) same Payload with (contain\$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S164	0	(classify classification) with ((size length) with header) same Payload with (contain \$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S165	25	Packets same (compar\$4 with length\$4) with header and encapsulat\$4 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S166	1883	UDP with RTP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S167	6	UDP with RTP and VoIP and FoIP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S168	5009	radio with optical with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03
S169	40	radio with optical with network and "at&t".as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:03

S170	11058	(370/389.ccls. 370/392.ccls. 370/401.ccls.) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:55
S171	601	(370/389.ccls. 370/392.ccls. 370/401.ccls.) and @ad<="20030827" and Fax	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:55
S172	14	(370/389.ccls. 370/392.ccls. 370/401.ccls.) and @ad<="20030827" and Fax and FoIP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:56
S173	6	(370/389.ccls. 370/392.ccls. 370/401.ccls.) and @ad<="20030827" and (header\$1 payload) with Fax	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:56
S174	167	(370/389.ccls. 370/392.ccls. 370/401.ccls.) and @ad<="20030827" and switch\$3 with Fax	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:57
S175	1	(370/389.ccls. 370/392.ccls. 370/401.ccls.) and @ad<="20030827" and switch\$3 with Fax same UDP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 10:58
S176	3027	switch\$3 with Fax and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 11:16
S177	6	switch\$3 with Fax same (IP and UDP\$2) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 11:36
S178	14	chen near2 zhihui.inv. beadle near2 michael.inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29

S179	404	(MINDSPEED adj TECHNOLOGIES).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S180	10	S178 and S179	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S181	9	S178 and S179 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S182	59413	(FACSIMILE FAX FAX\$3) AND (NETWORK) AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S183	6811	(VOIP) AND (NETWORK) AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S184	1665	S182 and S183	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S185	634	S182 and S183 and voip same (fax fax\$4 facsimile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S186	91	S182 and S183 and voip same (fax fax\$4 facsimile) same (gateways routers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S187	198	S182 and S183 and voip same (fax fax\$4 facsimile) same (gateway gateways router routers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29

S188	8	S182 and S183 and voip same (FOIP) same (gateways routers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S189	25	UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S190	10	UDPTL same (calcula\$5 determi\$5) same (size length header) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S191	10	UDPTL same (calcula\$5 determi\$5) same (size length) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S192	1	UDP same (body payload) same (calcula\$5 determi\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S193	1	UDP same (body payload) same (calcula\$5 determi\$5) same (size length) and "T.38" and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S194	1	UDP same (calcula\$5 determi\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S195	11	UDP and (calcula\$5 determi\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S196	11	UDP and (calcula\$5 determi\$5 analy\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29

S197	1	(calculat\$5 determin\$5) same (packet packets frame frames) same ("0" zero) same ("2" two) same (UDPTL) same (header field) same error with recove\$5 AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S198	55	(calculat\$5 determin\$5) same (packet packets frame frames) same (length) same error with recove\$5 AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S199	1	(calculat\$5 determin\$5) same UDPTL same (packet packets frame frames) same (length) AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S200	119	determin\$4 same type\$1 same packet same size\$4 with header and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S201	46	determin\$4 with type\$1 with packet\$1 same size\$4 with header and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S202	18	determin\$4 with type\$1 with packet\$1 with size\$4 with header and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S203	0	determin\$4 with type\$1 with packet\$1 with size\$4 with ecapsulat\$4 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S204	0	determin\$4 with packet\$1 with size\$4 with ecapsulat\$4 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29

S205	45	determin\$4 with packet\$1 with size\$4 with payload and UDP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S206	5	determin\$4 with packet\$1 with size\$4 and payload with contain\$3 with UDP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S207	5492	Payload with (contain\$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S208	1326	UDP and Payload with (contain\$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S209	825	((size length) with header) same Payload with (contain\$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S210	29	((size length) with header) same Payload with (contain\$2 compris\$3 includ\$3) with packet same (second with (size length)) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S211	6	determin\$4 with ((size length) with header) same Payload with (contain\$2 compris\$3 includ\$3) with packet same (second with (size length)) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S212	43	determin\$4 with ((size length) with header) same Payload with (contain\$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29

S213	0	(classify classification) with ((size length) with header) same Payload with (contain \$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S214	25	Packets same (compar\$4 with length\$4) with header and encapsulat\$4 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S215	1883	UDP with RTP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S216	6	UDP with RTP and VoIP and FoIP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S217	5009	radio with optical with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S218	40	radio with optical with network and "at&t".as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S219	14	chen near2 zhihui.inv. beadle near2 michael.inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S220	404	(MINDSPEED adj TECHNOLOGIES).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S221	10	S219 and S220	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29

S222	9	S219 and S220 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S223	59413	(FACSIMILE FAX FAX\$3) AND (NETWORK) AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S224	6811	(VOIP) AND (NETWORK) AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S225	1665	S223 and S224	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S226	634	S223 and S224 and voip same (fax fax\$4 facsimile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S227	91	S223 and S224 and voip same (fax fax\$4 facsimile) same (gateways routers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S228	198	S223 and S224 and voip same (fax fax\$4 facsimile) same (gateway gateways router routers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S229	8	S223 and S224 and voip same (FOIP) same (gateways routers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S230	25	UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29

S231	10	UDPTL same (calcula\$5 determi\$5) same (size length header) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S232	10	UDPTL same (calcula\$5 determi\$5) same (size length) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S233	1	UDP same (body payload) same (calcula\$5 determi\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S234	1	UDP same (body payload) same (calcula\$5 determi\$5) same (size length) and "T.38" and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S235	1	UDP same (calcula\$5 determi\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S236	11	UDP and (calcula\$5 determi\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S237	11	UDP and (calcula\$5 determi\$5 analy\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S238	1	(calculat\$5 determin\$5) same (packet packets frame frames) same ("0" zero) same ("2" two) same (UDPTL) same (header field) same error with recove\$5 AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29

S239	55	(calculat\$5 determin\$5) same (packet packets frame frames) same (length) same error with recove\$5 AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S240	1	(calculat\$5 determin\$5) same UDPTL same (packet packets frame frames) same (length) AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S241	119	determin\$4 same type\$1 same packet same size\$4 with header and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S242	46	determin\$4 with type\$1 with packet\$1 same size\$4 with header and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S243	18	determin\$4 with type\$1 with packet\$1 with size\$4 with header and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S244	0	determin\$4 with type\$1 with packet\$1 with size\$4 with ecapsulat\$4 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S245	0	determin\$4 with packet\$1 with size\$4 with ecapsulat\$4 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S246	45	determin\$4 with packet\$1 with size\$4 with payload and UDP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S247	5	determin\$4 with packet\$1 with size\$4 and payload with contain\$3 with UDP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29

S248	5492	Payload with (contain\$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S249	1326	UDP and Payload with (contain\$2 compris\$3 includ \$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S250	825	((size length) with header) same Payload with (contain \$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S251	29	((size length) with header) same Payload with (contain \$2 compris\$3 includ\$3) with packet same (second with (size length)) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S252	6	determin\$4 with ((size length) with header) same Payload with (contain\$2 compris\$3 includ\$3) with packet same (second with (size length)) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S253	43	determin\$4 with ((size length) with header) same Payload with (contain\$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S254	0	(classify classification) with ((size length) with header) same Payload with (contain \$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S255	25	Packets same (compar\$4 with length\$4) with header and encapsulat\$4 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29

S256	1883	UDP with RTP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S257	6	UDP with RTP and VoIP and FoIP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S258	5009	radio with optical with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S259	40	radio with optical with network and "at&t".as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S260	8	"823102".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S261	8	"823102".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S262	14	chen near2 zhihui.inv. beadle near2 michael.inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S263	404	(MINDSPEED adj TECHNOLOGIES).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S264	10	S262 and S263	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29

S265	9	S262 and S263 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S266	59413	(FACSIMILE FAX FAX\$3) AND (NETWORK) AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S267	6811	(VOIP) AND (NETWORK) AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S268	1665	S266 and S267	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S269	634	S266 and S267 and voip same (fax fax\$4 facsimile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S270	91	S266 and S267 and voip same (fax fax\$4 facsimile) same (gateways routers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S271	198	S266 and S267 and voip same (fax fax\$4 facsimile) same (gateway gateways router routers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S272	8	S266 and S267 and voip same (FOIP) same (gateways routers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S273	25	UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29

S274	10	UDPTL same (calcula\$5 determi\$5) same (size length header) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S275	10	UDPTL same (calcula\$5 determi\$5) same (size length) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S276	1	UDP same (body payload) same (calcula\$5 determi\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S277	1	UDP same (body payload) same (calcula\$5 determi\$5) same (size length) and "T.38" and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S278	1	UDP same (calcula\$5 determi\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S279	11	UDP and (calcula\$5 determi\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S280	11	UDP and (calcula\$5 determi\$5 analy\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S281	1	(calculat\$5 determin\$5) same (packet packets frame frames) same ("0" zero) same ("2" two) same (UDPTL) same (header field) same error with recove\$5 AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29

S282	55	(calculat\$5 determin\$5) same (packet packets frame frames) same (length) same error with recove\$5 AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S283	1	(calculat\$5 determin\$5) same UDPTL same (packet packets frame frames) same (length) AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S284	119	determin\$4 same type\$1 same packet same size\$4 with header and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S285	46	determin\$4 with type\$1 with packet\$1 same size\$4 with header and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S286	18	determin\$4 with type\$1 with packet\$1 with size\$4 with header and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S287	0	determin\$4 with type\$1 with packet\$1 with size\$4 with ecapsulat\$4 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S288	0	determin\$4 with packet\$1 with size\$4 with ecapsulat\$4 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S289	45	determin\$4 with packet\$1 with size\$4 with payload and UDP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S290	5	determin\$4 with packet\$1 with size\$4 and payload with contain\$3 with UDP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29

S291	5492	Payload with (contain\$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S292	1326	UDP and Payload with (contain\$2 compris\$3 includ \$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S293	825	((size length) with header) same Payload with (contain \$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S294	29	((size length) with header) same Payload with (contain \$2 compris\$3 includ\$3) with packet same (second with (size length)) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S295	6	determin\$4 with ((size length) with header) same Payload with (contain\$2 compris\$3 includ\$3) with packet same (second with (size length)) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S296	43	determin\$4 with ((size length) with header) same Payload with (contain\$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S297	0	(classify classification) with ((size length) with header) same Payload with (contain \$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S298	25	Packets same (compar\$4 with length\$4) with header and encapsulat\$4 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29

S299	1883	UDP with RTP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S300	6	UDP with RTP and VoIP and FoIP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S301	5009	radio with optical with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S302	40	radio with optical with network and "at&t".as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S303	14	chen near2 zhihui.inv. beadle near2 michael.inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S304	404	(MINDSPEED adj TECHNOLOGIES).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S305	10	S303 and S304	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S306	9	S303 and S304 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S307	59413	(FACSIMILE FAX FAX\$3) AND (NETWORK) AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29

S308	6811	(VOIP) AND (NETWORK) AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S309	1665	S307 and S308	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S310	634	S307 and S308 and voip same (fax fax\$4 facsimile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S311	91	S307 and S308 and voip same (fax fax\$4 facsimile) same (gateways routers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S312	198	S307 and S308 and voip same (fax fax\$4 facsimile) same (gateway gateways router routers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S313	8	S307 and S308 and voip same (FOIP) same (gateways routers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S314	25	UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S315	10	UDPTL same (calcula\$5 determi\$5) same (size length header) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S316	10	UDPTL same (calcula\$5 determi\$5) same (size length) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29

S317	1	UDP same (body payload) same (calcula\$5 determi\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S318	1	UDP same (body payload) same (calcula\$5 determi\$5) same (size length) and "T.38" and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S319	1	UDP same (calcula\$5 determi\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S320	11	UDP and (calcula\$5 determi\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S321	11	UDP and (calcula\$5 determi\$5) analy\$5) same (size length) and UDPTL and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S322	1	(calculat\$5 determin\$5) same (packet packets frame frames) same ("0" zero) same ("2" two) same (UDPTL) same (header field) same error with recove\$5 AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S323	55	(calculat\$5 determin\$5) same (packet packets frame frames) same (length) same error with recove\$5 AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S324	1	(calculat\$5 determin\$5) same UDPTL same (packet packets frame frames) same (length) AND @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29

S325	119	determin\$4 same type\$1 same packet same size\$4 with header and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S326	46	determin\$4 with type\$1 with packet\$1 same size\$4 with header and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S327	18	determin\$4 with type\$1 with packet\$1 with size\$4 with header and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S328	0	determin\$4 with type\$1 with packet\$1 with size\$4 with ecapsulat\$4 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S329	0	determin\$4 with packet\$1 with size\$4 with ecapsulat\$4 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S330	45	determin\$4 with packet\$1 with size\$4 with payload and UDP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S331	5	determin\$4 with packet\$1 with size\$4 and payload with contain\$3 with UDP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S332	5492	Payload with (contain\$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S333	1326	UDP and Payload with (contain\$2 compris\$3 includ \$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29

S334	825	((size length) with header) same Payload with (contain \$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S335	29	((size length) with header) same Payload with (contain \$2 compris\$3 includ\$3) with packet same (second with (size length)) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S336	6	determin\$4 with ((size length) with header) same Payload with (contain\$2 compris\$3 includ\$3) with packet same (second with (size length)) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S337	43	determin\$4 with ((size length) with header) same Payload with (contain\$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S338	0	(classify classification) with ((size length) with header) same Payload with (contain \$2 compris\$3 includ\$3) with packet and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S339	25	Packets same (compar\$4 with length\$4) with header and encapsulat\$4 and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S340	1883	UDP with RTP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S341	6	UDP with RTP and VoIP and FoIP and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29

S342	5009	radio with optical with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S343	40	radio with optical with network and "at&t".as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S344	11058	(370/389.ccls. 370/392.ccls. 370/401.ccls.) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S345	601	(370/389.ccls. 370/392.ccls. 370/401.ccls.) and @ad<="20030827" and Fax	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S346	14	(370/389.ccls. 370/392.ccls. 370/401.ccls.) and @ad<="20030827" and Fax and FoIP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S347	6	(370/389.ccls. 370/392.ccls. 370/401.ccls.) and @ad<="20030827" and (header\$1 payload) with Fax	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S348	167	(370/389.ccls. 370/392.ccls. 370/401.ccls.) and @ad<="20030827" and switch\$3 with Fax	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S349	1	(370/389.ccls. 370/392.ccls. 370/401.ccls.) and @ad<="20030827" and switch\$3 with Fax same UDP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
S350	3027	switch\$3 with Fax and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29

S351	6	switch\$3 with Fax same (IP and UDP\$2) and @ad<="20030827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/29 17:29
------	---	---	---	----	-----	---------------------

1/30/2009 5:13:44 PM

C:\Documents and Settings\lsweet\My Documents\EAST\Workspaces

\10650655mthdandsys4detectingfaxcommunicationduringavoipsession.wsp